

# Theory of Computation


## Chapter 2

Guan-Shieng Huang

shieng@ncnu.edu.tw

Dept. of CSIE, NCNU

# Turing Machines



# Definition of TMs

A **Turing Machine** is a quadruple  $M = (K, \Sigma, \delta, s)$ , where

1.  $K$  is a finite set of states; (**line numbers**)
2.  $\Sigma$  is a finite set of symbols including  $\sqcup$  and  $\triangleright$ ; (**alphabet**)
3.  $\delta : K \times \Sigma \rightarrow (K \cup \{\text{h}, \text{"yes"}, \text{"no"}\}) \times \Sigma \times \{\leftarrow, \rightarrow, -\}$ , a transition function; (**instructions**)
4.  $s \in K$ , the initial state. (**starting point**)

- h: halt, “yes”:accept, “no”: reject  
(terminate the execution)
- $\rightarrow$ : move right,  $\leftarrow$ : move left,  $-$ : stay  
(move the head)
- $\sqcup$ : blank,  $\triangleright$ : the boundary symbol

- $\delta(q, \sigma) = (p, \rho, D)$   
While reading  $\sigma$  at line  $q$ , go to line  $p$  and write out  $\rho$  on the tape. Move the head according to the direction of  $D$ .
- $\delta(q, \triangleright) = (p, \rho, \rightarrow)$ , to avoid crash.

# Example 2.1

$p \in K, \sigma \in \Sigma$	$\delta(p, \sigma)$
$s, 0$	$(s, 0, \rightarrow)$
$s, 1$	$(s, 1, \rightarrow)$
$s, \sqcup$	$(q, \sqcup, \leftarrow)$
$s, \triangleright$	$(s, \triangleright, \rightarrow)$
$q, 0$	$(q_0, \sqcup, \rightarrow)$
$q, 1$	$(q_1, \sqcup, \rightarrow)$
$q, \sqcup$	$(q, \sqcup, -)$
$q, \triangleright$	$(h, \triangleright, \rightarrow)$
$q_0, 0$	$(s, 0, \leftarrow)$
$q_0, 1$	$(s, 0, \leftarrow)$
$q_0, \sqcup$	$(s, 0, \leftarrow)$
$q_0, \triangleright$	$(h, \triangleright, \rightarrow)$
$q_1, 0$	$(s, 1, \leftarrow)$
$q_1, 1$	$(s, 1, \leftarrow)$
$q_1, \sqcup$	$(s, 1, \leftarrow)$
$q_1, \triangleright$	$(h, \triangleright, \rightarrow)$

7

↑  
halt

0.  $s, \underline{\triangleright}010$
1.  $s, \triangleright\underline{0}10$
2.  $s, \triangleright0\underline{1}0$
3.  $s, \triangleright01\underline{0}$
4.  $s, \triangleright010\underline{\sqcup}$
5.  $q, \triangleright010\underline{\sqcup}$
6.  $q_0, \triangleright01\underline{\sqcup}\underline{\sqcup}$
7.  $s, \triangleright01\underline{\sqcup}0$
8.  $q, \triangleright0\underline{1}\underline{\sqcup}0$
9.  $q_1, \triangleright0\underline{\sqcup}\underline{\sqcup}0$
10.  $s, \triangleright0\underline{\sqcup}10$
11.  $q, \triangleright\underline{0}\underline{\sqcup}10$
12.  $q_0, \triangleright\underline{\sqcup}\underline{\sqcup}10$
13.  $s, \triangleright\underline{\sqcup}010$
14.  $q, \underline{\triangleright}\underline{\sqcup}010$
15.  $h, \triangleright\underline{\sqcup}010$

Figure 2.1. Turing machine and computation.

# Remark

$x$ : input of  $M$

$$M(x) = \begin{cases} \text{“yes”} \\ \text{“no”} \\ y \text{ if } M \text{ entered } h \\ \nearrow \text{ if } M \text{ never terminates} \end{cases}$$

## Example 2.2

$(n)_2 \rightarrow (n + 1)_2$  if no overflow happens.

$p \in K, \sigma \in \Sigma$	$\delta(p, \sigma)$
$s, 0$	$(s, 0, \rightarrow)$
$s, 1$	$(s, 1, \rightarrow)$
$s, \sqcup$	$(q, \sqcup, \leftarrow)$
$s, \triangleright$	$(s, \triangleright, \rightarrow)$
$q, 0$	$(h, 1, -)$
$q, 1$	$(q, 0, \leftarrow)$
$q, \triangleright$	$(h, \triangleright, \rightarrow)$

**Figure 2.2.** Turing machine for binary successor.



# Example 2.3 — Palindrome

$p \in K, \sigma \in \Sigma$		$\delta(p, \sigma)$
$s$	$0$	$(q_0, \triangleright, \rightarrow)$
$s$	$1$	$(q_1, \triangleright, \rightarrow)$
$s$	$\triangleright$	$(s, \triangleright, \rightarrow)$
$s$	$\sqcup$	$(\text{"yes"}, \sqcup, -)$
$q_0$	$0$	$(q_0, 0, \rightarrow)$
$q_0$	$1$	$(q_0, 1, \rightarrow)$
$q_0$	$\sqcup$	$(q'_0, \sqcup, \leftarrow)$
$q_1$	$0$	$(q_1, 0, \rightarrow)$
$q_1$	$1$	$(q_1, 1, \rightarrow)$
$q_1$	$\sqcup$	$(q'_1, \sqcup, \leftarrow)$

$p \in K, \sigma \in \Sigma$		$\delta(p, \sigma)$
$q'_0$	$0$	$(q, \sqcup, \leftarrow)$
$q'_0$	$1$	$(\text{"no"}, 1, -)$
$q'_0$	$\triangleright$	$(\text{"yes"}, \sqcup, \rightarrow)$
$q'_1$	$0$	$(\text{"no"}, 1, -)$
$q'_1$	$1$	$(q, \sqcup, \leftarrow)$
$q'_1$	$\triangleright$	$(\text{"yes"}, \triangleright, \rightarrow)$
$q$	$0$	$(q, 0, \leftarrow)$
$q$	$1$	$(q, 1, \leftarrow)$
$q$	$\triangleright$	$(s, \triangleright, \rightarrow)$

Figure 2.3. Turing machine for palindromes.

# Turing Machines as Algorithms

- $L \subseteq (\Sigma - \{\sqcup, \triangleright\})^*$ , a language
- A TM  $M$  **decides**  $L$  if for all string  $x$ ,
$$\begin{cases} x \in L \Rightarrow M(x) = \text{“yes”} \\ x \notin L \Rightarrow M(x) = \text{“no”}. \end{cases}$$
- A TM  $M$  **accepts**  $L$  if for all string  $x$ ,
$$\begin{cases} x \in L \Rightarrow M(x) = \text{“yes”} \\ x \notin L \Rightarrow M(x) = \nearrow . \end{cases}$$

- If  $L$  is decided by some TM, we say  $L$  is **recursive**.
- If  $L$  is accepted by some TM, we say  $L$  is **recursively enumerable**.

# Propositional 2.1

If  $L$  is recursive, then it is recursively enumerable.

## Representation of mathematical objects:

1. graphs, sets, numbers, ...
2. All acceptable encodings are polynomially related.
  - (a) binary, ternary
  - (b) adjacency matrix, adjacency list

However, unary representation of numbers is an exception.

# $k$ -string Turing Machines

A  $k$ -string Turing machine is a quadruple  $(K, \Sigma, \delta, s)$  where

1.  $K, \Sigma, s$  are exactly as in ordinary Turing machines;
2.  $\delta : K \times \Sigma^k \rightarrow (K \cup \{\text{h}, \text{"yes"}, \text{"no"}\}) \times (\Sigma \times \{\leftarrow, \rightarrow, -\})^k$ ;
3.  $s \in K$ , the initial state.

# An Example

$p \in K, \sigma_1 \in \Sigma$	$\sigma_2 \in \Sigma$	$\delta(p, \sigma_1, \sigma_2)$
$s, 0$	$\sqcup$	$(s, 0, \rightarrow, 0, \rightarrow)$
$s, 1$	$\sqcup$	$(s, 1, \rightarrow, 1, \rightarrow)$
$s, \triangleright$	$\triangleright$	$(s, \triangleright, \rightarrow, \triangleright, \rightarrow)$
$s, \sqcup$	$\sqcup$	$(q, \sqcup, \leftarrow, \sqcup, -)$
$q, 0$	$\sqcup$	$(q, 0, \leftarrow, \sqcup, -)$
$q, 1$	$\sqcup$	$(q, 1, \leftarrow, \sqcup, -)$
$q, \triangleright$	$\sqcup$	$(p, \triangleright, \rightarrow, \sqcup, \leftarrow)$
$p, 0$	$0$	$(p, 0, \rightarrow, \sqcup, \leftarrow)$
$p, 1$	$1$	$(p, 1, \rightarrow, \sqcup, \leftarrow)$
$p, 0$	$1$	$(\text{"no"}, 0, -, 1, -)$
$p, 1$	$0$	$(\text{"no"}, 1, -, 0, -)$
$p, \sqcup$	$\triangleright$	$(\text{"yes"}, \sqcup, -, \triangleright, \rightarrow)$

**Figure 2.5.** 2-string Turing machine for palindromes.

1. If for a  $k$ -string Turing machine  $M$  and input  $x$  we have

$$(s, \triangleright, x, \triangleright, \epsilon, \dots, \triangleright, \epsilon) \xrightarrow{M^t} (H, w_1, u_1, \dots, w_k, u_k)$$

for some  $H \in \{h, \text{"yes"}, \text{"no"}\}$ , then the time required by  $M$  on input  $x$  is  $t$ .

2. If for any input string  $x$  of length  $|x|$ ,  $M$  terminates on input  $x$  within time  $f(|x|)$ , we say  $f(n)$  is a **time bound** for  $M$ .



$\text{TIME}(f(n))$ : the set of all languages that can be decided by TMs in time  $f(n)$ .

### Theorem 2.1

Given any  $k$ -string TM  $M$  operating within time  $f(n)$ , we can construct a TM  $M'$  operating within time  $O(f(n)^2)$  and such that, for any input  $x$ ,  $M(x) = M'(x)$ .

(by simulation)

# Linear Speedup

## Theorem 2.2

Let  $L \in \text{TIME}(f(n))$ . Then, for any  $\epsilon > 0$ ,  
 $L \in \text{TIME}(f'(n))$ , where  $f'(n) = \epsilon \cdot f(n) + n + 2$ .

## Definition

$$\mathcal{P} = \bigcup_{k \geq 1} \text{TIME}(n^k).$$

# Space Bounds

A  $k$ -string TM with input and output is an ordinary  $k$ -string TM s.t.

1. the first tape is **read-only**;  
(Input cannot be modified.)
2. the last tape is **write-only**.  
(Output cannot be wound back.)

# Proposition

For any  $k$ -string TM  $M$  operating with time bound  $f(n)$  there is a  $(k + 2)$ -string TM  $M'$  with input and output, which operates within time bound  $O(f(n))$ .

# Space Bound for TM

Suppose that, for a  $k$ -string TM  $M$  and input  $x$ ,

$$(s, \triangleright, x, \dots, \triangleright, \epsilon) \xrightarrow{M^*} (H, w_1, u_1, \dots, w_k, u_k)$$

where  $H \in \{h, \text{"yes"}, \text{"no"}\}$  is a halting state.

1. The space required by  $M$  on input  $x$  is  $\sum_{i=1}^k |w_i u_i|$ .
2. If  $M$  is a machine with input and output, then the space required by  $M$  on input  $x$  is  $\sum_{i=2}^{k-1} |w_i u_i|$ .

1. We say that Turing machine  $M$  operates within space bound  $f(n)$  if, for any input  $x$ ,  $M$  requires space at most  $f(|x|)$ .
2. A language  $L$  is in the space complexity class  $\text{SPACE}(f(n))$  if there is a TM with I/O that decides  $L$  and operates within space bound  $f(n)$ .
3. Define  $\mathcal{L} = \text{SPACE}(\lg(n))$ .

## Theorem 2.3

Let  $L$  be a language in  $\text{SPACE}(f(n))$ . Then, for any  $\epsilon > 0$ ,  $L \in \text{SPACE}(2 + \epsilon \cdot f(n))$ .

# Random Access Machines

Input:  $(i_1, i_2, \dots, i_n)$

Output:  $r_0$

Memory:  $r_0, r_1, r_2, \dots$

$k$ : program counter

Three address modes:

1.  $j$ : direct;
2.  $\uparrow j$ : indirect;
3.  $= j$ : immediate.



Instruction	Operand	Semantics
READ	$j$	$r_0 := i_j$
READ	$\uparrow j$	$r_0 := i_{r_j}$
STORE	$j$	$r_j := r_0$
STORE	$\uparrow j$	$r_{r_j} := r_0$
LOAD	$x$	$r_0 := x$
ADD	$x$	$r_0 := r_0 + x$
SUB	$x$	$r_0 := r_0 - x$
HALF		$r_0 := \lfloor \frac{r_0}{2} \rfloor$
JUMP	$j$	$\kappa := j$
JPOS	$j$	if $r_0 > 0$ then $\kappa := j$
JZERO	$j$	if $r_0 = 0$ then $\kappa := j$
JNEG	$j$	if $r_0 < 0$ then $\kappa := j$
HALT		$\kappa := 0$

## Theorem 2.5


If a RAM program  $\Pi$  computes a function  $\phi$  in time  $f(n)$ , then there is a 7-string TM which computes  $\phi$  in time  $O(f(n)^3)$ .

(by simulation)

# Nondeterministic Machines

A nondeterministic TM is a quadruple  $N = (K, \Sigma, \Delta, s)$ , where

1.  $K, \Sigma, s$  are as in ordinary TM;
2.  $\Delta \subseteq (K \times \Sigma) \times [(K \cup \{h, \text{"yes"}, \text{"no"}\}) \times \Sigma \times \{\leftarrow, \rightarrow, -\}]$ .



**Figure 2-9.** Nondeterministic computation.

1. N decides a language  $L$  if for any  $x \in \Sigma^*$ ,  
 $x \in L$  if and only if  $(s, \triangleright, x) \xrightarrow{N^*} (\text{“yes”}, w, u)$  for  
some strings  $w$  and  $u$ .
2. An input is accepted if there is some  
sequence of nondeterministic choice that  
results in “yes”.

N decides  $L$  in time  $f(n)$  if

1.  $N$  decides  $L$ ;

2. for any  $x \in \Sigma^*$ , if  $(s, \triangleright, x) \xrightarrow{N^k} (\text{“yes”}, w, u)$ ,  
then  $k \leq f(|x|)$ .

Let  $\text{NTIME}(f(n))$  be the set of languages decided  
by NTMs within time  $f$ .

Let  $\mathcal{NP} = \bigcup_{k \geq 1} \text{NTIME}(n^k)$ .

We have

$$\mathcal{P} \subseteq \mathcal{NP}.$$

## Example 2.9

$TSP(D) \in \mathcal{NP}$

1. Write out arbitrary permutation of  $1, \dots, n$ .
2. Check whether the tour indicated by this permutation is less than the distance bound.



## Theorem 2.6

Suppose that language  $L$  is decided by a NTM  $N$  in time  $f(n)$ . Then it is decided by a 3-string DTM  $M$  in time  $O(c^{f(n)})$ , where  $c > 1$  is some constant depending on  $N$ .

$$(\text{NTIME}(f(n)) \subseteq \bigcup_{c \geq 1} \text{NTIME}(c^{f(n)}).)$$

## Example 2.10

- Reachability  $\in$  NSPACE( $\lg n$ ) (This is easy.)
- Reachability  $\in$  SPACE( $(\lg n)^2$ ) (In Chapter 7.)

Why employ nondeterminism?

# Exercises

2.8.1, 2.8.4, 2.8.6, 2.8.7, 2.8.8, 2.8.9, 2.8.10,  
2.8.11