

Theory of Computation

Chapter 8

Guan-Shieng Huang

Apr. 28, 2003

Reduction

To reduce Problem A to Problem B , we mean if B is solved, then A is solved.

x : an instance of Problem A

\mathcal{R} : transformation from A to B

$\mathcal{R}(x)$: an instance of B

We require $\mathcal{R}(x) \in B$ iff $x \in A$.

Hence B is solved implies that A is solved.

Or, B is at least as hard as A .

Slide 1

For computational problems, we say language L_1 is reducible to L_2 if there is a **log-space reduction** \mathcal{R} such that

$$x \in L_1 \text{ if and only if } \mathcal{R}(x) \in L_2$$

for any string x as the input of decision problem for L_1 .

Slide 2

Propositional 8.1

If \mathcal{R} is a log-space reduction, then \mathcal{R} is a polynomial-time reduction.

1. There are at most $O(nc^{k \lg n})$ possible configurations where c and k are constants..
2. If a computation for a Turing machine is terminated, each configuration can appear at most once.
3. Hence, \mathcal{R} uses at most polynomial steps.

Slide 3

Reducing Hamilton Path (HP) to SAT

(Example 8.1)

HP: Given a graph, whether there is a path that visits each node exactly once.

G has an HP iff $\mathcal{R}(G)$ is satisfiable.

$x_{i,j}$: node j is the i th node in the HP.

$$\mathcal{R}(G) = \begin{cases} (x_{1,j} \vee x_{2,j} \vee \cdots \vee x_{n,j}) & \text{for } 1 \leq j \leq n \\ (\neg x_{i,j} \vee \neg x_{k,j}) & \text{for } 1 \leq i, j \neq k \leq n \\ (x_{i,1} \vee x_{i,2} \vee \cdots \vee x_{i,n}) & \text{for } 1 \leq i \leq n \\ (\neg x_{k,i} \vee \neg x_{k+1,j}) & \text{for each pair } (i, j) \text{ not in } G. \end{cases}$$

Slide 4

Reducing Reachability To SAT

(Example 8.2)

Given a graph G labeled from 1 to n , is there a path from node 1 to node n in G ?

$g_{i,j,k}$: there is a path from node i to node j and this path passes through nodes with indices at most k .

$$\mathcal{R}(G) = \begin{cases} g_{i,j,k} \Leftrightarrow (g_{i,k,k-1} \wedge g_{k,j,k-1}) \vee g_{i,j,k-1}, & \text{for } 1 \leq i, j, k \leq n \\ g_{i,j,0}, & \text{if } (i, j) \text{ is an edge in } G. \end{cases}$$

Then node 1 can reach node n in G if and only if $\mathcal{R}(G)$ is satisfiable.

Slide 5

Reducing Circuit SAT to SAT

(Example 8.3)

$$\textcircled{x} \implies \neg g \vee x, g \vee \neg x \quad (g \Leftrightarrow x)$$

$$\textcircled{\neg} \implies \neg g \vee \neg h, g \vee h \quad (g \Leftrightarrow \neg h)$$

$$\begin{array}{c} \uparrow \\ h \\ \textcircled{\vee} \end{array} \implies \neg h \vee g, \neg h' \vee g, h \vee h' \vee \neg g \quad (g \Leftrightarrow h \vee h')$$

$$\begin{array}{c} \uparrow \quad \uparrow \\ h \quad h' \\ \textcircled{\wedge} \end{array} \implies \neg g \vee h, \neg g \vee h', \neg h \vee \neg h' \vee g \quad (g \Leftrightarrow h \wedge h')$$

Slide 6

$$(x_3 \wedge \neg((x_1 \vee x_2) \wedge (\neg x_1 \vee \neg x_2))) \vee (\neg x_3 \wedge (x_1 \vee x_2) \wedge (\neg x_1 \vee \neg x_2))$$




Figure 4-2. Two circuits.

Slide 7

Reducing Circuit Value to Circuit SAT

Reduction by generalization.

Slide 8

Proposition 8.2

If \mathcal{R} is a reduction from L_1 to L_2 and \mathcal{R}' is a reduction from L_2 to L_3 , then there is a reduction from L_1 to L_3 .

Given any x (either $x \notin L_1$ or $x \in L_1$), we have

$$x \in L_1 \text{ iff } \mathcal{R}(x) \in L_2 \text{ iff } \mathcal{R}'(\mathcal{R}(x)) \in L_3.$$

Slide 9


Thus, we have a reduction s.t. $x \in L_1$ iff $\mathcal{R}'(\mathcal{R}(x)) \in L_3$.

However, we **cannot** implement the composition $\mathcal{R}' \circ \mathcal{R}$ as

1. Compute $\mathcal{R}(x)$;
2. Compute $\mathcal{R}'(\mathcal{R}(x))$.

This is because we may need polynomial spaces in order to store $\mathcal{R}(x)$ in Step 1.

Slide 10



Complete Problems

(Definition 8.2)

\mathcal{C} : complexity class

L : a language in \mathcal{C}

We say L is \mathcal{C} -complete if **any** language $L' \in \mathcal{C}$ can be reduced to L .

Slide 11

Examples:

NP-complete, P-complete, PSPACE-complete, NL-complete

Definition A class \mathcal{C}' is **closed** under reductions if whenever L is reducible to L' and $L' \in \mathcal{C}'$, then also $L \in \mathcal{C}'$.

Remark

1. A complete problem is the **least likely among all** problems in \mathcal{C} to belong in a weaker class $\mathcal{C}' \subseteq \mathcal{C}$.
2. If it does, then the whole class \mathcal{C} coincides with the weaker class \mathcal{C}' , as long as \mathcal{C}' is closed under reduction.

Slide 12

Proposition 8.3

P, NP, coNP, L, NL, PSPACE, and EXP are all closed under log-space reductions.

Remark:

If an NP-complete problem is in P, then P=NP.

Slide 13

Proposition 8.4

If two classes \mathcal{C} and \mathcal{C}' are both closed under reductions, and there is a language L which is complete for both \mathcal{C} and \mathcal{C}' , then $\mathcal{C} = \mathcal{C}'$.

Observe that $\mathcal{C} \subseteq \mathcal{C}'$ and $\mathcal{C}' \subseteq \mathcal{C}$, and thus $\mathcal{C} = \mathcal{C}'$.


Slide 14

Cook's Theorem (Theorem 8.2)

SAT is NP-complete.

Slide 15

Slide 18




Corollary: MONOTONE CIRCUIT VALUE is P-complete.

Cook's Theorem

SAT is NP-complete.

To standardize the behavior of non-determinism:



Slide 19

Figure 8-5. Reducing the degree of nondeterminism.




Figure 8-6. The construction for Cook's theorem.

Slide 20